



Gaining time in the fight against the quagga mussel

April 8, 2025 | Annette Ryser

Topics: Ecosystems

To contain the spread of the invasive quagga mussel in Swiss lakes, Eawag researchers recommend swift action based on comprehensive prevention, early detection and containment. They also suggest coordinating the measures both within Switzerland and with neighbouring countries. This is the conclusion of a new report prepared by the aquatic research experts on behalf of the Federal Office for the Environment (FOEN) and the Swiss Expert Committee for Biosafety (SECB).

The recently published report “Quagga mussel: monitoring concept and recommendations for prevention and protective measures” is the result of a collaboration between researchers from the aquatic research institute Eawag and experts from Cercle Exotique, a working group of the Conference of Cantonal Environmental Agencies (KVU). The combination of research findings and practical experience will provide specific proposals for dealing with the quagga mussel in Swiss waters to authorities and suppliers of water, heating and cooling, together with other decision-makers.

Fast and comprehensive action

“Every year that no quagga mussels are found in a Swiss lake is a year gained,” emphasises Piet Spaak, a biologist and quagga mussel expert at Eawag. The time gained can be used to prepare infrastructure with water pipes that carry lake water for when the quagga mussel eventually spreads to the lake in question. Filters and heat exchangers, for example, can protect sensitive equipment parts from mussels adhering to them, thus preventing irreversible damage to buildings and installations. This sometimes requires very expensive conversion and new buildings, which have to be planned well in advance. Spaak: “We are talking about costs that are likely to amount to hundreds of millions of francs

for the whole of Switzerland.”

The authors of the report provide specific recommendations for containing the spread of the quagga mussel. “For the best effect, these measures should be implemented as quickly and extensively as possible,” explains Spaak.



Filters and heat exchangers can protect infrastructures from clogging by mussels (Photo: Eawag, Linda Haltiner).

Unaffected lakes should be tested at least once a year using environmental DNA analysis. This allows any quagga mussel colonisation to be detected at an early stage. This enables the relevant authorities to respond quickly and also to check whether the protective measures taken are sufficient. The authors consider reports from the public to be an important additional element.

Containment for the protection of water bodies

The report shows that the quagga mussel is spreading in Switzerland mainly due to transport of leisure boats. This is where the authors therefore see the greatest leverage: to prevent the quagga mussel from gaining a foothold in previously unaffected bodies of water, wide-ranging measures are best, such as mandatory ship reporting and cleaning requirements. Such requirements have already been introduced around Lake Lucerne, in the Canton of Bern and in a similar way in the canton of Aargau on Lake Hallwil. The cantons of St. Gallen, Graubünden and Zurich have joined in as of April 2025; other cantons, such as the canton of Glarus, will follow.

In addition, a mandatory ship reporting and cleaning requirement helps to prevent the

introduction and spread of other invasive species, such as the narrow-leaved water reed, a fast-growing underwater plant, and the black-mouthed goby, an invasive fish species. The authors also identify gaps in knowledge of how to carry out ship cleaning. Detailed, tested cleaning methods and instructions, additional cleaning centres and research tailored to practical methods could be helpful here.



In order to better understand the long-term consequences for Swiss water bodies and to plan preventive measures accordingly, the lakes already affected by the quagga mussel need to be regularly examined (Photo: Keystone, Gaetan Bally).

Research for clear future scenarios

In order to understand the long-term consequences for the ecosystems, research is currently based on experience with the North American lakes, where the quagga mussel was imported 20 years earlier than in Europe. However, there is a strong public need for a specific impact assessment for Swiss water bodies. To answer that, further research is necessary. The authors suggest that the lakes already affected should be monitored annually on a standardised basis. Selected lakes that have already been studied in detail by research institutes in the past should be monitored in more detail, with samples taken at different sites and depths every one to two years. This detailed data could then be used in the planning of preventive measures.

New advisory centre

A new quagga mussel centre at Eawag has been available to advise those in relevant positions of responsibility since 1 April 2025. It is financially supported by the Federal Office for the Environment (FOEN) and Eawag. It will provide information and expertise to

protected'25 p' (9 chars) otherpage => protected" (0 chars) categories => protected" (0 chars) description => protected'Quaggamuscheln wurden 2014 zum ersten Mal in Basel mittels Umwelt DNA (eDNA)

nachgewiesen (De Ventura et al. 2017). Im Jahr 2016 wurden das erste Mal Exemplare der Quaggamuschel im Bodensee gefunden. Ab 2021 wurden in der Schweiz grossflächig Informations- und Sensibilisierungs- Massnahmen ergriffen. In der Zwischenzeit sind einige grosse Seen von Quaggamuscheln befallen. Auch wenn die Risiken für eine weitere Ausbreitung in der Schweiz gross sind, wie die Ausbreitungsdynamik zeigt, sind wir der Meinung, dass jedes Jahr, in dem die Quaggamuschel später in einen See kommt, ein gewonnenes Jahr ist. Es werden monetär gesehen Kosten eingespart, es bleibt mehr Zeit Infrastrukturanlagen entsprechend vorzubereiten und der natürliche Zustand der Seen bleibt so lange wie möglich erhalten. Wir empfehlen darum dringend, dass die in diesem Bericht beschriebenen Massnahmen zum Schutz und zum Monitoring von Gewässern von allen betroffenen Akteuren möglichst schnell umgesetzt werden. Der vorliegende Bericht soll hierfür eine Hilfestellung bieten. Je früher

gehandelt wird, desto besser. [...] (1103 chars) serialnumber => protected" (0 chars) doi => protected'10.55408/eawag:33819' (20 chars) uid => protected33819 (integer) _localizedUid => protected33819 (integer)modified _languageUid => protectedNULL _versionedUid => protected33819 (integer)modified pid => protected124 (integer) 1 => Snowflake\Publications\Domain\Model\Publicationprototypepersistent entity (uid=33820, pid=124) originalId => protected33820 (integer) authors => protected'Flämig, S.; Bourqui, M.; Alexander, J.; Sturm, L.; Well

auer, N.; Spaak, P.' (105 chars) title => protected'Moule Quagga: concept de monitoring et recommandations sur les mesures de pr

évention et de protection' (102 chars) journal => protected" (0 chars) year => protected2024 (integer) volume => protected0 (integer) issue => protected" (0 chars) startpage => protected'26 p' (9 chars) otherpage => protected" (0 chars) categories => protected" (0 chars) description => protected'Des moules quagga ont été détectées pour la première fois à Bâle en 2

014 grâce à l'ADN environnemental (ADNe) (De Ventura et al. 2017). En 2016, des spécimens de moules quagga ont été découverts pour la première fois dans le lac de Constance. Dès 2021, des initiatives d'information et de sensibilisation à grande échelle ont été lancées en Suisse. Cependant, entre-temps, plusieurs grands lacs ont été envahis par cette espèce. Bien que la dynamique de propagation laisse présager un risque élevé de colonisation supplémentaire en Suisse, nous estimons que chaque année de retard dans l'arrivée des moules quagga dans un lac constitue un gain précieux. Sur le plan financier, cela permet de réaliser des économies, de disposer de plus de temps pour adapter les infrastructures, et de préserver l'état naturel des lacs aussi longtemps que possible. C'est pourquoi nous recommandons vivement que les mesures de protection et de surveillance des eaux décrites dans ce rapport soient mises en œuvre dans les plus brefs délais réalisables par tous les acteurs concernés. Ce rapport a pour objectif de faciliter cette démarche. Plus l'action sera rapide, plus ses effets seront bénéfiques. [...] (1232 chars) serialnumber => protected" (0 chars) doi => protected'10.55408/eawag:33820' (20 chars) uid => protected33820 (integer) _localizedUid => protected33820 (integer)modified _languageUid => protectedNULL _versionedUid =>

protected33820 (integer)modified pid => protected124 (integer) Flämig, S.; Bourqui, M.; Alexander, J.; Sturm, L.; Wellauer, N.; Spaak, P. (2024) Quaggamuschel: Monitoringkonzept und Empfehlungen zu Präventions- und Schutzmassnahmen, 25 p, [doi: 10.55408/eawag:33819](https://doi.org/10.55408/eawag:33819), [Institutional Repository](#)

Flämig, S.; Bourqui, M.; Alexander, J.; Sturm, L.; Wellauer, N.; Spaak, P. (2024) Moule Quagga: concept de monitoring et recommandations sur les mesures de prévention et de protection, 26 p, [doi:10.55408/eawag:33820](https://doi.org/10.55408/eawag:33820), [Institutional Repository](#)

Funding / Partnerships

Eawag Federal Office for the Environment (FOEN), Water department Swiss Expert Committee for Biosafety (SECB) Cercle Exotique, “Aquatic alien species” working group M|u|t environmental office

Protective measures

for [Lake Lucerne](#), [Lake Hallwil](#), the [canton of Bern](#), the [canton of Zurich](#), the [canton of St. Gallen](#) and the [canton of Graubünden](#).

Related Links

[Project page](#)

[Quagga mussel focus page](#)

[Cercle Exotique](#)

[Federal Office for the Environment \(FOEN\)](#)

[Swiss Expert Committee for Biosafety \(SECB\)](#)

Contact



Piet Spaak

Tel. +41 58 765 5617

piet.spaak@eawag.ch



Claudia Carle

Science editor

Tel. +41 58 765 5946

claudia.carle@eawag.ch

<https://www.eawag.ch/en/info/portal/news/news-archive/archive-detail/gaining-time-in-the-fight-against-the-quagga-mussel>